

Braçadeiras roscadas c/ reforço


Clamp saddles with reinforce

Colliers de prise en charge avec renfor

Collarines de toma con refuerzo



02 15 2000 000



d	G	L	H	Paraf	PN/Bar	Gr	Quant
25	" 1/2	61	36	2 (M6x40)	10	62	C 200
25	" 3/4	61	36	2 (M6x40)	10	70	C 180
32	" 1/2	76	45	2 (M8x60)	10	130	C 100
32	" 3/4	76	45	2 (M8x60)	10	137	C 100
32	1 "	76	45	2 (M8x60)	10	146	C 100
40	" 1/2	76	55	2 (M8x60)	10	134	C 100
40	" 3/4	76	55	2 (M8x60)	10	143	C 100
40	1 "	76	55	2 (M8x60)	10	130	C 90
50	" 1/2	83	60	2 (M8x60)	10	150	C 80
50	" 3/4	83	60	2 (M8x60)	10	158	C 80
50	1 "	83	60	2 (M8x60)	10	166	C 70
63	" 1/2	102	69	4 (M8x60)	10	255	C 50
63	" 3/4	102	69	4 (M8x60)	10	257	C 50
63	1 "	102	69	4 (M8x60)	10	273	C 50
63	1" 1/4	102	69	4 (M8x60)	10	277	C 50
63	1" 1/2	102	69	4 (M8x60)	10	299	C 45

Nº Código

02 15 2000 003

02 15 2000 004

02 15 2000 005

02 15 2000 006

02 15 2000 007

02 15 2000 008

02 15 2000 009

02 15 2000 010

02 15 2000 011

02 15 2000 012

02 15 2000 013


02 15 2000 014

02 15 2000 015


02 15 2000 016

02 15 2000 017


02 15 2000 018



d	G	L	H	Paraf	PN/Bar	Gr	Quant	Nº Código
75	" 1/2	120	95	4 (M8x60)	10	355	C 30	02 15 2000 019
75	" 3/4	120	95	4 (M8x60)	10	358	C 30	02 15 2000 020
75	1 "	120	95	4 (M8x60)	10	368	C 30	02 15 2000 021
75	1" 1/2	120	95	4 (M8x60)	10	381	C 30	02 15 2000 023
90	" 1/2	132	115	6 (M8x60)	10	498	C 20	02 15 2000 024
90	" 3/4	132	115	6 (M8x60)	10	502	C 20	02 15 2000 025
90	1 "	132	115	6 (M8x60)	10	514	C 20	02 15 2000 026
90	1" 1/4	132	115	6 (M8x60)	10	523	C 20	02 15 2000 027
90	1" 1/2	132	115	6 (M8x60)	10	530	C 20	02 15 2000 028
110	" 1/2	153	129	6 (M8x60)	10	622	C 12	02 15 2000 029
110	" 3/4	153	129	6 (M8x60)	10	628	C 12	02 15 2000 030
110	1 "	153	129	6 (M8x60)	10	628	C 12	02 15 2000 031
110	1" 1/4	153	129	6 (M8x60)	10	628	C 12	02 15 2000 032
110	1" 1/2	153	129	6 (M8x60)	10	648	C 12	02 15 2000 033
110	2 "	153	129	6 (M8x60)	10	648	C 12	02 15 2000 034
125	1"	176	130	6 (M8x60)	10	675	C 12	02 15 2000 036
125	1"1/4	176	130	6 (M8x60)	10	680	C 12	02 15 2000 037
125	1"1/2	176	130	6 (M8x60)	10	689	C 12	02 15 2000 038
125	2 "	176	130	6 (M8x60)	10	685	C 12	02 15 2000 039



d	G	L	H	Paraf	PN/Bar	Gr	Quant	Nº Código
140	1 "	192	135	6 (M8x60)	10	800	C 10	02 15 2000 041
140	1" 1/4	192	135	6 (M8x60)	10	803	C 10	02 15 2000 042
140	1" 1/2	192	135	6 (M8x60)	10	803	C 10	02 15 2000 043
140	2 "	192	135	6 (M8x60)	10	825	C 10	02 15 2000 044
140	2" 1/2	192	135	6 (M8x60)	6	830	C 8	02 15 2000 045
140	3 "	192	135	6 (M8x60)	6	837	C 8	02 15 2000 046
160	1 "	212	135	6 (M8x60)	10	874	C 8	02 15 2000 048
160	1" 1/4	212	135	6 (M8x60)	10	878	C 8	02 15 2000 049
160	1" 1/2	212	135	6 (M8x60)	10	881	C 8	02 15 2000 050
160	2 "	212	135	6 (M8x60)	10	891	C 8	02 15 2000 051
160	3 "	212	135	6 (M8x60)	6	925	C 8	02 15 2000 053
200	1 "	252	140	6 (M8x60)	10	1010	C 6	02 15 2000 055
200	1" 1/2	252	140	6 (M8x60)	10	1046	C 6	02 15 2000 057
200	2 "	252	140	6 (M8x60)	10	1063	C 6	02 15 2000 058
200	3 "	252	140	6 (M8x60)	6	1110	C 4	02 15 2000 060
225	1" 1/4	294	170	6 (M10x80)	6	1760	C 3	02 15 2000 062
225	1" 1/2	294	170	6 (M10x80)	6	1760	C 3	02 15 2000 063
225	2 "	294	170	6 (M10x80)	6	1780	C 3	02 15 2000 064
225	2" 1/2	294	170	6 (M10x80)	4	1790	C 3	02 15 2000 065
225	3 "	294	170	6 (M10x80)	4	1750	C 3	02 15 2000 066
225	4 "	294	170	6 (M10x80)	4	1830	C 3	02 15 2000 067



d	G	L	H	Paraf	PN/Bar	Gr	Quant
250	1 " 1/4	320	180	6 (M10x80)	6	2090	C 2
250	1" 1/2	320	180	6 (M10x80)	6	2090	C 2
250	2 "	320	180	6 (M10x80)	6	2110	C 2
250	2 " 1/2	320	180	6 (M10x80)	4	2110	C 2
250	3 "	320	180	6 (M10x80)	4	2130	C 2
250	4 "	320	180	6 (M10x80)	4	2220	C 2
315	1" 1/4	390	200	6 (M10x80)	6	2810	C 1
315	1" 1/2	390	200	6 (M10x80)	6	2820	C 1
315	2 "	390	200	6 (M10x80)	6	2830	C 1
315	2" 1/2	390	200	6 (M10x80)	4	2840	C 1
315	3 "	390	200	6 (M10x80)	4	2850	C 1
315	4 "	390	200	6 (M10x80)	4	2880	C 1

Nº Código
02 15 2000 070
02 15 2000 071
02 15 2000 072
02 15 2000 073
02 15 2000 074
02 15 2000 075
02 15 2000 080
02 15 2000 081
02 15 2000 082
02 15 2000 083
02 15 2000 084
02 15 2000 085