





ENERG

енергия · ενεργεια



A+++

A++

A+

A

B

C


D

E

F

G

+



+



+



+



A+++

A++

A+

A

B

C

D

E

F

G




ENERG
енергия · ενεργεια




BAXI

NEODENS LITE 24/24 F



A



A




49 dB

20
kW


2019

811/2013



214500001

77696682
NEODENS LITE 24/24 F
214500001



214500001

Cod.7769682



CN1=52 CN2=3



Mod. NEODENS LITE 24/24 F
matr. 214500001 (01)08433106222076(21)214500001


Cod.7769682



CN1=52 CN2=3




Mod. NEODENS LITE 24/24 F
matr. 214500001 (01)0843310622076(21)214500001



7769682

BAX

Baxi S.p.A.
36061 Bassano del Grappa (VI)
Via Trozzetti, 20 - ITALIA



7669516.01

BAXI

7769682 - Comm. 7793211
NEODENS LITE 24/24 F

			
Qn Hi	4,9-20,6	4,9-24,7	kW
Pn 80/60°C	4,8-20	4,8-24	kW
Pn 50/30°C	5,2-21,8		kW
PMS	3 bar - 0,3 MPa	<95 °C	
PMW	8 bar - 0,8 MPa		
D	11,5 l/min		
NOx	6		

Caldera a condensación
Caldeira de condensação

CE 0085-21
0085CU0338

230 V~50 Hz - 78 W - IP X5D

$$B_{23} B_{23p} B_{33} C_{13} C_{(15)3} C_{33} C_{43} C_{53} C_{63} C_{83} C_{93}$$

II 2H3P	ES PT



2H - G20 - 20 mbar
0 - 20% H₂



3P - G31 - 37 mbar



CN1=52 CN2=3

s/n: 214500001

7221539