



Referência	Medidas	Carac.	u./caixa
008182	75-150X150	Cinza/Autolimpante	10
008190	90200X200	Negro / Autolimpante	10
008192	90-200X200	Cinza/Autolimpante	10
008200	110200X200	Negro / Autolimpante	6
008240	90250X250	Negro / Autolimpante	6
008242	90-250X250	Cinza/Autolimpante	6
008250	110250X250	Negro / Autolimpante	5
008252	110-250X250	Cinza/Autolimpante	5
008300	125300 X 300	Negro / Autolimpante	4
008202	110-200X200	Cinza/Autolimpante	6
008180	75150 X 150	Negro / Autolimpante	10



ECO-PVC Sin Plomo



Autolimpiante

Caixa sífónica, extensível, saída vertical macho colar.

Diseñados de acuerdo a la EN 1253:

Sello hidráulico de 50mm.

Resistencia a la carga:

Conforme a DIN 19599. Sumideros y cubiertas en edificios Clase L15.



Technical drawing of a mechanical part, likely a flange or base plate, showing dimensions A, B, C, D, E, and F. The drawing includes a top view and a side view. The top view shows a rectangular flange with a central hole and a smaller rectangular cutout. The side view shows the profile of the flange, including a central vertical slot and a horizontal slot. The dimensions are labeled as follows:

- A**: Width of the central rectangular cutout.
- B**: Total width of the flange.
- C**: Total height of the flange.
- D**: Height of the central vertical slot.
- E**: Height of the horizontal slot.
- F**: Width of the central vertical slot.

Documentação



Tabelas



Certificados



